



## SPOT LED DIM\*



|                                     | EAN           | Ø x h [mm] | W | lm  | lm/W | K    | I <sub>0</sub> [mA]   |
|-------------------------------------|---------------|------------|---|-----|------|------|-----------------------|
| SpotFP LED fix 8W/3000K WT DIM IP65 | 4058075127432 | 81 x 51    | 8 | 620 | 75   | 3000 | 170mA@27-42V 50V Max. |
| SpotFP LED fix 8W/4000K WT DIM IP65 | 4058075127555 | 81 x 51    | 8 | 670 | 80   | 4000 | 170mA@27-42V 50V Max. |
| SpotFP LED fix 8W/3000K SI DIM IP65 | 4058075127371 | 81 x 51    | 8 | 620 | 75   | 3000 | 170mA@27-42V 50V Max. |
| SpotFP LED fix 8W/4000K SI DIM IP65 | 4058075127494 | 81 x 51    | 8 | 670 | 80   | 4000 | 170mA@27-42V 50V Max. |
| Spot LED fix 8W/3000K WT DIM IP44   | 4058075127043 | 81 x 51    | 8 | 620 | 75   | 3000 | 170mA@27-42V 50V Max. |
| Spot LED fix 8W/4000K WT DIM IP44   | 4058075127104 | 81 x 51    | 8 | 670 | 80   | 4000 | 170mA@27-42V 50V Max. |
| Spot LED fix 8W/3000K SI DIM IP44   | 4058075126923 | 81 x 51    | 8 | 620 | 75   | 3000 | 170mA@27-42V 50V Max. |
| Spot LED fix 8W/4000K SI DIM IP44   | 4058075127067 | 81 x 51    | 8 | 670 | 80   | 4000 | 170mA@27-42V 50V Max. |


|                                     | EAN           | Δ (°C)    | V <sub>AC</sub> | Hz       | IP    | IK | PF    | ∠   | R <sub>a</sub> | ⊞      |
|-------------------------------------|---------------|-----------|-----------------|----------|-------|----|-------|-----|----------------|--------|
| SpotFP LED fix 8W/3000K WT DIM IP65 | 4058075127432 | -20...+45 | 220-240V        | 50/60 Hz | 65/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| SpotFP LED fix 8W/4000K WT DIM IP65 | 4058075127555 | -20...+45 | 220-240V        | 50/60 Hz | 65/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| SpotFP LED fix 8W/3000K SI DIM IP65 | 4058075127371 | -20...+45 | 220-240V        | 50/60 Hz | 65/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| SpotFP LED fix 8W/4000K SI DIM IP65 | 4058075127494 | -20...+45 | 220-240V        | 50/60 Hz | 65/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| Spot LED fix 8W/3000K WT DIM IP44   | 4058075127043 | -20...+45 | 220-240V        | 50/60 Hz | 44/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| Spot LED fix 8W/4000K WT DIM IP44   | 4058075127104 | -20...+45 | 220-240V        | 50/60 Hz | 44/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| Spot LED fix 8W/3000K SI DIM IP44   | 4058075126923 | -20...+45 | 220-240V        | 50/60 Hz | 44/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |
| Spot LED fix 8W/4000K SI DIM IP44   | 4058075127067 | -20...+45 | 220-240V        | 50/60 Hz | 44/20 | 06 | ≥ 0.9 | 36° | >80            | 0.3 kg |

**1a**



|                                   | Ø     |
|-----------------------------------|-------|
| Spot LED fix 8W/3000K WT DIM IP44 | 68 mm |
| Spot LED fix 8W/4000K WT DIM IP44 | 68 mm |


**1b**




BS476-20:1978  
BS476-21:1978







|                                     | Ø     |
|-------------------------------------|-------|
| SpotFP LED fix 8W/3000K WT DIM IP65 | 68 mm |
| SpotFP LED fix 8W/4000K WT DIM IP65 | 68 mm |






**2**



**3**







RoHS



C10449057  
G11034658  
10.01.18



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)