




DAMPPROOF SPECIAL



	EAN	ø x l [mm]	W	V _{AC}	Hz	lm	lm/W	K
DP SPECIAL 1200 22W/4000K WT IP67	4058075452114	74 x 1344	22	220-240V	50/60 Hz	2800	130	4000
DP SPECIAL 1200 42W/4000K WT IP67	4058075452152	74 x 1344	42	220-240V	50/60 Hz	5500	130	4000
DP SPECIAL 1500 30W/4000K WT IP67	4058075452138	74 x 1644	30	220-240V	50/60 Hz	3900	130	4000
DP SPECIAL 1500 50W/4000K WT IP67	4058075452176	74 x 1644	50	220-240V	50/60 Hz	6500	130	4000








	EAN	IP	IK	∇	R _a	🌡️ (°C)	PF	👤
DP SPECIAL 1200 22W/4000K WT IP67	4058075452114	67/69K	06	120°	>80	-20 ... +40	≥ 0.9	1.2 kg
DP SPECIAL 1200 42W/4000K WT IP67	4058075452152	67/69K	06	120°	>80	-20 ... +40	≥ 0.9	1.2 kg
DP SPECIAL 1500 30W/4000K WT IP67	4058075452138	67/69K	06	120°	>80	-20 ... +40	≥ 0.9	1.5 kg
DP SPECIAL 1500 50W/4000K WT IP67	4058075452176	67/69K	06	120°	>80	-20 ... +40	≥ 0.9	1.6 kg









1x 2x ... nx

L PE N L PE N

n	B10	C10	C16
DP SPECIAL 1200 22W/4000K WT IP67	25	23	36
DP SPECIAL 1200 42W/4000K WT IP67	24	21	34
DP SPECIAL 1500 30W/4000K WT IP67	25	22	36
DP SPECIAL 1500 50W/4000K WT IP67	24	21	34





Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com

C10449057
G11142745

09.05.22

© LEDVANCE Ltd, Aquila House
Delta Crescent, Westbrook, Warrington
WA5 7NR, United Kingdom