








FLOODLIGHT AREA ASYM













	EAN	l x w x h [mm]	W	V _{AC}	Hz	lm	lm/W	K
FL AREA 72W 830 ASYM 48x92 BK	4058075539730	381 x 290 x 59	72	100-277V	50/60Hz	9200	129	3000
FL AREA 72W 840 ASYM 48x92 BK	4058075539747	381 x 290 x 59	72	100-277V	50/60Hz	10000	139	4000
FL AREA 105W 830 ASYM 48x92 BK	4058075539754	418 x 322 x 60	105	100-277V	50/60Hz	13750	132	3000
FL AREA 105W 840 ASYM 48x92 BK	4058075539761	418 x 322 x 60	105	100-277V	50/60Hz	15000	143	4000
FL AREA 145W 830 ASYM 48x92 BK	4058075539778	454 x 354 x 62	145	100-277V	50/60Hz	18400	129	3000
FL AREA 145W 840 ASYM 48x92 BK	4058075539785	454 x 354 x 62	145	100-277V	50/60Hz	20000	138	4000




	EAN	IP	IK	∠	R _a	τ ₅₀ (°C)	PF	👤
FL AREA 72W 830 ASYM 48x92 BK	4058075539730	65	08	48°x92°	> 80	-30...+50	> 0.9	3.7 kg
FL AREA 72W 840 ASYM 48x92 BK	4058075539747	65	08	48°x92°	> 80	-30...+50	> 0.9	3.7 kg
FL AREA 105W 830 ASYM 48x92 BK	4058075539754	65	08	48°x92°	> 80	-30...+50	> 0.9	4.8 kg
FL AREA 105W 840 ASYM 48x92 BK	4058075539761	65	08	48°x92°	> 80	-30...+50	> 0.9	4.8 kg
FL AREA 145W 830 ASYM 48x92 BK	4058075539778	65	08	48°x92°	> 80	-30...+50	> 0.9	6.2 kg
FL AREA 145W 840 ASYM 48x92 BK	4058075539785	65	08	48°x92°	> 80	-30...+50	> 0.9	6.2 kg



					230Vac				
		A	B	C	 m ²	C10A	B16A	C16A	
72W		170	118	10.5	2x M10	0.083 m ²			
105W		170	118	12.5	2x M12	0.102 m ²	15	22	25
145W		170	118	12.5	2x M12	0.124 m ²	8	5	12
							6	4	9







LEDVANCE GmbH - Steinerne Furt 62
 86167 Augsburg, Germany
www.ledvance.com

© LEDVANCE Ltd, Aquila House
 Delta Crescent, Westbrook, Warrington
 WA5 7NR, United Kingdom

C10449057
 G11142826
 04.05.22