





---




**STREETLIGHT FLEX**



---





|                                  | EAN           | l x w x h [mm] | W   | V <sub>AC</sub> | Hz      | lm    | lm/W |
|----------------------------------|---------------|----------------|-----|-----------------|---------|-------|------|
| SL FLEX SM P 13W 727 RV25ST WAL  | 4058075552234 | 445x250x90     | 13  | 220-240 V       | 50/60Hz | 1650  | 127  |
| SL FLEX SM P 13W 730 RV25ST WAL  | 4058075552241 | 445x250x90     | 13  | 220-240 V       | 50/60Hz | 1700  | 131  |
| SL FLEX SM P 13W 740 RV25ST WAL  | 4058075552258 | 445x250x90     | 13  | 220-240 V       | 50/60Hz | 1780  | 137  |
| SL FLEX SM P 25W 727 RV25ST WAL  | 4058075552265 | 445x250x90     | 25  | 220-240 V       | 50/60Hz | 3270  | 131  |
| SL FLEX SM P 25W 730 RV25ST WAL  | 4058075552272 | 445x250x90     | 25  | 220-240 V       | 50/60Hz | 3370  | 135  |
| SL FLEX SM P 25W 740 RV25ST WAL  | 4058075552289 | 445x250x90     | 25  | 220-240 V       | 50/60Hz | 3550  | 141  |
| SL FLEX SM P 36W 727 RV25ST WAL  | 4058075552296 | 445x250x90     | 36  | 220-240 V       | 50/60Hz | 4850  | 135  |
| SL FLEX SM P 36W 730 RV25ST WAL  | 4058075552302 | 445x250x90     | 36  | 220-240 V       | 50/60Hz | 4950  | 138  |
| SL FLEX SM P 36W 740 RV25ST WAL  | 4058075552319 | 445x250x90     | 36  | 220-240 V       | 50/60Hz | 5180  | 144  |
| SL FLEX MD P 58W 727 RV25ST WAL  | 4058075552326 | 496x250x90     | 58  | 220-240 V       | 50/60Hz | 7750  | 134  |
| SL FLEX MD P 58W 730 RV25ST WAL  | 4058075552333 | 496x250x90     | 58  | 220-240 V       | 50/60Hz | 8250  | 142  |
| SL FLEX MD P 58W 740 RV25ST WAL  | 4058075552340 | 496x250x90     | 58  | 220-240 V       | 50/60Hz | 8500  | 147  |
| SL FLEX MD P 80W 727 RV25ST WAL  | 4058075552357 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 10550 | 132  |
| SL FLEX MD P 80W 727 RW35ST WAL  | 4058075552364 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 10500 | 131  |
| SL FLEX MD P 80W 730 RV25ST WAL  | 4058075552371 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 11400 | 143  |
| SL FLEX MD P 80W 730 RW35ST WAL  | 4058075552388 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 11300 | 141  |
| SL FLEX MD P 80W 740 RV25ST WAL  | 4058075552395 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 11650 | 146  |
| SL FLEX MD P 80W 740 RW35ST WAL  | 4058075552401 | 496x250x90     | 80  | 220-240 V       | 50/60Hz | 11500 | 144  |
| SL FLEX LA P 110W 727 RV25ST WAL | 4058075552418 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 15250 | 139  |
| SL FLEX LA P 110W 727 RW35ST WAL | 4058075552425 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 15200 | 138  |
| SL FLEX LA P 110W 730 RV25ST WAL | 4058075552432 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 16500 | 150  |
| SL FLEX LA P 110W 730 RW35ST WAL | 4058075552449 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 16350 | 149  |
| SL FLEX LA P 110W 740 RV25ST WAL | 4058075552456 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 16800 | 153  |
| SL FLEX LA P 110W 740 RW35ST WAL | 4058075552463 | 617x300x90     | 110 | 220-240 V       | 50/60Hz | 16650 | 151  |
| SL FLEX LA P 158W 727 RV25ST WAL | 4058075552470 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 21150 | 134  |
| SL FLEX LA P 158W 727 RW35ST WAL | 4058075552487 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 21000 | 133  |
| SL FLEX LA P 158W 730 RV25ST WAL | 4058075552494 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 23350 | 148  |
| SL FLEX LA P 158W 730 RW35ST WAL | 4058075552500 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 23200 | 147  |
| SL FLEX LA P 158W 740 RV25ST WAL | 4058075552517 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 24450 | 155  |
| SL FLEX LA P 158W 740 RW35ST WAL | 4058075552524 | 617x300x90     | 158 | 220-240 V       | 50/60Hz | 23900 | 151  |

|                                  | EAN           | K    | IP | IK |  | R <sub>a</sub> | ⌄ (°C)   | PF    |  |
|----------------------------------|---------------|------|----|----|---|----------------|----------|-------|---|
| SL FLEX SM P 13W 727 RV25ST WAL  | 4058075552234 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.4 kg  |
| SL FLEX SM P 13W 730 RV25ST WAL  | 4058075552241 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.4 kg  |
| SL FLEX SM P 13W 740 RV25ST WAL  | 4058075552258 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.4 kg  |
| SL FLEX SM P 25W 727 RV25ST WAL  | 4058075552265 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX SM P 25W 730 RV25ST WAL  | 4058075552272 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX SM P 25W 740 RV25ST WAL  | 4058075552289 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX SM P 36W 727 RV25ST WAL  | 4058075552296 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX SM P 36W 730 RV25ST WAL  | 4058075552302 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX SM P 36W 740 RV25ST WAL  | 4058075552319 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 4.5 kg  |
| SL FLEX MD P 58W 727 RV25ST WAL  | 4058075552326 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.1 kg  |
| SL FLEX MD P 58W 730 RV25ST WAL  | 4058075552333 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.1 kg  |
| SL FLEX MD P 58W 740 RV25ST WAL  | 4058075552340 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.1 kg  |
| SL FLEX MD P 80W 727 RV25ST WAL  | 4058075552357 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX MD P 80W 727 RW35ST WAL  | 4058075552364 | 2700 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX MD P 80W 730 RV25ST WAL  | 4058075552371 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX MD P 80W 730 RW35ST WAL  | 4058075552388 | 3000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX MD P 80W 740 RV25ST WAL  | 4058075552395 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX MD P 80W 740 RW35ST WAL  | 4058075552401 | 4000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 5.6 kg  |
| SL FLEX LA P 110W 727 RV25ST WAL | 4058075552418 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 110W 727 RW35ST WAL | 4058075552425 | 2700 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 110W 730 RV25ST WAL | 4058075552432 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 110W 730 RW35ST WAL | 4058075552449 | 3000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 110W 740 RV25ST WAL | 4058075552456 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 110W 740 RW35ST WAL | 4058075552463 | 4000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 727 RV25ST WAL | 4058075552470 | 2700 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 727 RW35ST WAL | 4058075552487 | 2700 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 730 RV25ST WAL | 4058075552494 | 3000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 730 RW35ST WAL | 4058075552500 | 3000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 740 RV25ST WAL | 4058075552517 | 4000 | 66 | 08 | 25° x 145°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
| SL FLEX LA P 158W 740 RW35ST WAL | 4058075552524 | 4000 | 66 | 08 | 35° x 135°  | 70             | -30...50 | > 0.9 | 7.7 kg  |
























**EAN 4058075552531**









**EAN 4058075552579**











|                   | Inrush Current [A] | Th50 [µs] | B10 | B16 | B32 | C10 | C16 | C32 |
|-------------------|--------------------|-----------|-----|-----|-----|-----|-----|-----|
| SL FLEX SM P 13W  | 25                 | 150       | 23  | 36  | 68  | 40  | 70  | 124 |
| SL FLEX SM P 25W  | 26                 | 180       | 15  | 18  | 35  | 28  | 36  | 58  |
| SL FLEX SM P 36W  | 26                 | 180       | 11  | 16  | 32  | 25  | 32  | 53  |
| SL FLEX MD P 58W  | 54                 | 200       | 7   | 10  | 21  | 13  | 21  | 41  |
| SL FLEX MD P 80W  | 65                 | 220       | 5   | 9   | 20  | 10  | 19  | 40  |
| SL FLEX LA P 110W | 65                 | 220       | 5   | 8   | 19  | 9   | 17  | 38  |
| SL FLEX LA P 158W | 80                 | 150       | 4   | 7   | 17  | 8   | 14  | 33  |



C10449058  
G11126158  
28.07.21



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)