









## LOWBAY FLEX P / LOWBAY FLEX BP P





|                                   | EAN           | l x w x h [mm]  | W   | V        | Hz        | lm    | lm/W | K    |
|-----------------------------------|---------------|-----------------|-----|----------|-----------|-------|------|------|
| LB FLEX 1200 P 42W 840 W          | 4058075676060 | 1236 x 115 x 65 | 42  | 220-240V | 50/60Hz   | 6510  | 155  | 4000 |
| LB FLEX 1200 P 42W 840 VW         | 4058075676084 | 1236 x 115 x 65 | 42  | 220-240V | 50/60Hz   | 6510  | 155  | 4000 |
| LB FLEX 1200 P 73W 840 W          | 4058075676107 | 1236 x 115 x 65 | 73  | 220-240V | 50/60Hz   | 11315 | 155  | 4000 |
| LB FLEX 1200 P 73W 840 VW         | 4058075676121 | 1236 x 115 x 65 | 73  | 220-240V | 50/60Hz   | 11315 | 155  | 4000 |
| LB FLEX 1500 P 105W 840 N         | 4058075676244 | 1527 x 115 x 65 | 105 | 220-240V | 50/60Hz   | 16800 | 160  | 4000 |
| LB FLEX 1500 P 105W 840 W         | 4058075676268 | 1527 x 115 x 65 | 105 | 220-240V | 50/60Hz   | 16800 | 160  | 4000 |
| LB FLEX 1500 P 105W 840 VW        | 4058075676282 | 1527 x 115 x 65 | 105 | 220-240V | 50/60Hz   | 16800 | 160  | 4000 |
| LB FLEX BP 1500 P 105W 840 W      | 4058075676367 | 1527 x 117 x 76 | 105 | 220-240V | 50/60Hz   | 16275 | 155  | 4000 |
| LB FLEX 1200 DALI P 42W 840 W     | 4058075676145 | 1236 x 115 x 65 | 42  | 220-240V | 0/50/60Hz | 6510  | 155  | 4000 |
| LB FLEX 1200 DALI P 42W 840 VW    | 4058075676169 | 1236 x 115 x 65 | 42  | 220-240V | 0/50/60Hz | 6510  | 155  | 4000 |
| LB FLEX 1200 DALI P 73W 840 W     | 4058075676206 | 1236 x 115 x 65 | 73  | 220-240V | 0/50/60Hz | 11315 | 155  | 4000 |
| LB FLEX 1200 DALI P 73W 840 VW    | 4058075676220 | 1236 x 115 x 65 | 73  | 220-240V | 0/50/60Hz | 11315 | 155  | 4000 |
| LB FLEX 1500 DALI P 105W 840 N    | 4058075676305 | 1527 x 115 x 65 | 105 | 220-240V | 0/50/60Hz | 16800 | 160  | 4000 |
| LB FLEX 1500 DALI P 105W 840 W    | 4058075676329 | 1527 x 115 x 65 | 105 | 220-240V | 0/50/60Hz | 16800 | 160  | 4000 |
| LB FLEX 1500 DALI P 105W 840 VW   | 4058075676343 | 1527 x 115 x 65 | 105 | 220-240V | 0/50/60Hz | 16800 | 160  | 4000 |
| LB FLEX BP 1500 DALI P 105W 840 W | 4058075676381 | 1527 x 117 x 76 | 105 | 220-240V | 0/50/60Hz | 16275 | 155  | 4000 |

|                                   | EAN           | IP | IK | ∇   | R <sub>a</sub> | °(°C)     | PF    | 👤       |
|-----------------------------------|---------------|----|----|-----|----------------|-----------|-------|---------|
| LB FLEX 1200 P 42W 840 W          | 4058075676060 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 3.40 kg |
| LB FLEX 1200 P 42W 840 VW         | 4058075676084 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 3.40 kg |
| LB FLEX 1200 P 73W 840 W          | 4058075676107 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 3.40 kg |
| LB FLEX 1200 P 73W 840 VW         | 4058075676121 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 3.40 kg |
| LB FLEX 1500 P 105W 840 N         | 4058075676244 | 23 | 08 | 60  | ≥ 80           | -25...+50 | ≥ 0.9 | 4.45 kg |
| LB FLEX 1500 P 105W 840 W         | 4058075676268 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 4.45 kg |
| LB FLEX 1500 P 105W 840 VW        | 4058075676282 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 4.45 kg |
| LB FLEX BP 1500 P 105W 840 W      | 4058075676367 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 6.00 kg |
| LB FLEX 1200 DALI P 42W 840 W     | 4058075676145 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 3.50 kg |
| LB FLEX 1200 DALI P 42W 840 VW    | 4058075676169 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 3.50 kg |
| LB FLEX 1200 DALI P 73W 840 W     | 4058075676206 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 3.50 kg |
| LB FLEX 1200 DALI P 73W 840 VW    | 4058075676220 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 3.50 kg |
| LB FLEX 1500 DALI P 105W 840 N    | 4058075676305 | 23 | 08 | 60  | ≥ 80           | -25...+50 | ≥ 0.9 | 4.20 kg |
| LB FLEX 1500 DALI P 105W 840 W    | 4058075676329 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 4.20 kg |
| LB FLEX 1500 DALI P 105W 840 VW   | 4058075676343 | 23 | 08 | 120 | ≥ 80           | -25...+50 | ≥ 0.9 | 4.20 kg |
| LB FLEX BP 1500 DALI P 105W 840 W | 4058075676381 | 23 | 08 | 90  | ≥ 80           | -25...+50 | ≥ 0.9 | 5.76 kg |







**LOWBAY FLEX SUSPENSION KIT**  
**EAN 4058075693722**











**LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P**














**LOWBAY FLEX (BP) 1500 P / LOWBAY FLEX (BP) 1500 DALI P**











C10449058  
G11138985  
29.03.22



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)

© LEDVANCE Ltd, Aquila House  
Delta Crescent, Westbrook, Warrington  
WA5 7NR, United Kingdom