
Doc. N.° 1SDH000719R0605 - L4099

SACE Tmax XT

RHE - Comando a maniglia rotante rinviato.
RHE - Rotary handle operating mechanism door mounted.
RHE - Drehhebelantrieb Ubertragen.
RHE - Commande par poignèe rotative renvoyèe.
RHE - Mando giratorio reenviado.





XT1-XT2-XT3-XT4/III-IV







F-P	1	1	4	2	2
W	1	1	4	2	2




F-P	1	1	1	0	0	0
W	1	1	0	1	1	1

Power and productivity
for a better world™


A

F-P




B

XT1-XT2-XT3-XT4/III-IV




C

ONLY FOR XT2 - XT4




D

XT1-XT2




E


XT1-XT2




F XT3-XT4




G XT3-XT4




H XT1-XT2-XT3-XT4/F-P




I XT4 W ONLY




J XT2 W ONLY



K XT1-XT2-XT3-XT4/F-P




L XT2-XT4/W




M

XT1-XT2-XT3-XT4/F-P




N

XT1-XT2-XT3-XT4/F-P



O


XT1-XT2-XT3-XT4/F



	A	
	MIN	MAX
XT1-XT3	159	568
XT2-XT4	171	581


P

XT1-XT2XT3-XT4/W



Q


XT1-XT2XT3-XT4/W



EXAMPLE WITH XT2

EXAMPLE WITH XT2


R



		A	
	MOUNTING	MIN	MAX
XT1-XT3 P	AT 50mm	209	618
	AT 70mm	229	638
XT2-XT4 P - W	AT 50mm	221	631
	AT 70mm	241	651


S

FOR ALL




T


FOR ALL




U

FOR ALL





EXAMPLE WITH XT2



EXAMPLE WITH XT2

For more information please contact:

ABB S.p.A.
ABB SACE Division
Via Baioni, 35
24123 Bergamo - Italy
Phone: +39 035 395 111
Fax: +39 035 395 306 - 433

www.abb.com

Power and productivity
for a better world™