

PRODUCT-DETAILS

E219-3CDE

Piloto tricolor E219-3CDE 415/230Vac



Información General

Extended Product Type	E219-3CDE
Product ID	2CCA703902R0001
EAN	7612271413323
Catalog Description	Piloto tricolor E219-3CDE 415/230Vac
Long Description	multi indicator light with 3 red, yellow, green LEDs Voltage range = 415-230 VACPDC Module width 0,5

Clasificación

E-Number (Finland)	2312367
E-Number (Switzerland)	472551838
EAN	7612271413323
Minimum Order Quantity	10 piece
Customs Tariff Number	85365000

Dimensiones

Product Net Width	9 mm
Product Net Height	85 mm
Product Net Length	93 mm
Product Net Depth / Length	58 mm
Product Net Weight	47 g

Información de Embalaje

Package Level 1 Units	box 10 piece
Package Level 1 Width	96 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	95 mm
Package Level 1 Gross Weight	44 g
Package Level 1 EAN	7612271413323

Ambiente

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Información Adicional

Color	Red, yellow, green
Degree of Protection	IP20
Number of LEDs	3
Power Loss	1.2 W
Product Main Type	E219
Product Name	Piloto
Rated Voltage (U _r)	230 V
Rated Operational Voltage	415 / 230 V AC
RoHS Date	20170426
Standards	EN 62094-1
Voltage Range	230 ... 415 V AC

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CCC441003C0101
Declaration of Conformity - CE	2CCC441003D0601
Environmental Information	2CCC441002C0201
Instructions and Manuals	2CCC441001C0201
RoHS Information	2CCC413008D0206

Clasificaciones

ETIM 4	EC001657 - Indicator light for distribution board
ETIM 5	EC001657 - Indicator light for distribution board
ETIM 6	EC001657 - Indicator light for distribution board
ETIM 7	EC001657 - Indicator light for distribution board
Object Classification Code	P
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Command and Signalling devices → Control Switches, Pushbuttons and Indicator Lights

