PRODUCT-DETAILS

S800-UVR60

Bob.min. S800-UVR60 para S800



Información General

Extended Product Type	S800-UVR60
Product ID	2CCS800900R0251
EAN	7612271208370
Catalog Description	Bob.min. S800-UVR60 para S800
Long Description	S800-UVR60 Under voltage release 48 … 60 V AC / DC

Clasificación

EAN	7612271208370
Minimum Order Quantity	1 piece
Customs Tariff Number	85389040

Dimensiones

Product Net Width	27 mm
Product Net Height	95 mm
Product Net Length	27 mm
Product Net Depth / Length	82.5 mm
Product Net Weight	150 g

Información de Embalaje

Package Level 1 Units	box 1 piece
Package Level 1 Width	105 mm
Package Level 1 Height	99 mm
Package Level 1 Depth / Length	35 mm
Package Level 1 Gross Weight	170 g
Package Level 1 EAN	7612271208370

Ambiente

RoHS Status	Following EU Directive 2011/65/EU

Información Adicional

Frequency (f)	50/60 Hz
Power Loss	1.14 ... 1.25 W 1.3 V·A
Product Main Type	S800-UVR
Product Name	Bobina mínima tensión
Rated Control Supply Voltage (U_s)	(50 Hz) 60...60 V (50 Hz) 60...60 V (60 Hz) 60...60 V (60 Hz) 60...60 V (DC) 60...60 V (DC) 60...60 V
Rated Voltage (U_r)	48 ... 60 V
Rated Operational Voltage	48 ... 60 V
RoHS Date	20170426
Standards	IEC 60947-5-1_UL489

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CCC413003C0208
Declaration of Conformity - CE	2CCC413003D0201
Environmental Information	2CCY413207D0203
Instructions and Manuals	9AKK106930A3418
RoHS Information	2CCC413003D0201 9AKK107680A3903
Dimension Diagram	2CCC413003C0201

Clasificaciones

ETIM 4	EC001022 - Under voltage coil
ETIM 5	EC001022 - Under voltage coil
ETIM 6	EC001022 - Under voltage coil
ETIM 7	EC001022 - Under voltage coil
Object Classification Code	F
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorias

Productos y sistemas de baja tensión → Aparatos modulares de instalación → High Performance Circuit Breakers HPCBs Accessories

