PRODUCT-DETAILS

# DDA202 A-40/0,5

## DDA202A-40/0,5 2p 40A A 500mA



### Información General

| | |
|---|---|
| Extended Product Type | DDA202 A-40/0,5 |
| Product ID | 2CSB202101R4400 |
| EAN | 8012542796404 |
| Catalog Description | DDA202A-40/0,5 2p 40A A 500mA |
| Long Description | The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating and direct pulsating earth fault currents, protection, against indirects contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial. |

### Technical

| | |
|---|---|
| Standards | IEC/EN 61009 Ann. G |
| Operating Characteristic | Instantaneous |
| Type of Residual Current | A type |
| Rated Residual Current | 500 mA |
| Rated Current ($I_n$) | 40 A |
| Number of Poles | 2 |
| Power Loss | 3.2 W |
| Rated Voltage ($U_r$) | 230/400 V |

### Ambiente

| | |
|---|---|
| Ambient Air | Funcionamiento -25...55 °C |

| | |
|---|---|
| Temperature | |
| RoHS Status | Following EU Directive 2011/65/EU |

## Technical UL/CSA

| | |
|---|---|
| Short-Circuit Current Rating (SCCR) | 0.5 ... 0.5 A |

## Dimensiones

| | |
|---|---|
| Product Net Width | 0.070 m |
| Product Net Height | 0.093 m |
| Product Net Depth / Length | 0.069 m |
| Product Net Weight | 0.210 kg |

## Información de Embalaje

| | |
|---|---|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 0.077 m |
| Package Level 1 Height | 0.076 m |
| Package Level 1 Depth / Length | 0.102 m |
| Package Level 1 Gross Weight | 0.245 kg |
| Package Level 1 EAN | 8012542796411 |

## Clasificación

| | |
|---|---|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85363030 |

## Certificados y Declaraciones (Número de Documento)

| | |
|---|---|
| Declaration of Conformity - CE | 9AKK106713A5614 |
| Environmental Information | Refer to RoHS |
| Instructions and Manuals | 2CSB423001D003 |
| RoHS Information | 2CSC427001K2701 |

## Descargas Populares

| | |
|---|---|
| Data Sheet, Technical Information | 9AKK107046A0424 |
| Instructions and Manuals | 2CSB423001D003 |

## Clasificaciones

| | |
|---|---|
| Object Classification Code | Q |
| ETIM 4 | EC002297 - Residual current circuit breaker (RCCB) module |
| ETIM 5 | EC002297 - Residual current circuit breaker (RCCB) module |
| ETIM 6 | EC002297 - Residual current circuit breaker (RCCB) module |

## Categorias

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Dispositivos diferenciales adaptables

