PRODUCT-DETAILS

F204 B-125/0.3-L

Int.dif.F204B-125/0,3 4p 125A B 300mA



Información General

Extended Product Type	F204 B-125/0.3-L
Product ID	2CSF204523R3950
EAN	8012542989202
Catalog Description	Int.dif.F204B-125/0,3 4p 125A B 300mA
Long Description	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is particularly suitable for the protection against smooth d.c. earth fault currents. This product is suitable for installations where neutral on the left is .

Technical

Standards	IEC/EN 61008
Operating Characteristic	Instantaneous
Type of Residual Current	B type
Rated Residual Current	300 mA
Rated Current (I_n)	125 A
Number of Poles	4
Position of Neutral Terminals	Left
Power Loss	at Rated Operating Conditions per Pole 7.5 W
Rated Voltage (U_r)	400 V
Rated Frequency (f)	50...60 Hz

Ambiente

Ambient Air Temperature	Funcionamiento -25...40 °C
RoHS Status	Following EU Directive 2011/65/EU

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0.3 mA

Dimensiones

Product Net Width	0.072 m
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.500 kg

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.09 m
Package Level 1 Gross Weight	0.525 kg
Package Level 1 EAN	8012542989219

Clasificación

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030
E-Number (Sweden)	2160010

Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	9AKK106713A5602
Environmental Information	Refer to RoHS
Instructions and Manuals	Manual sheet inside the box
RoHS Information	2CSC423001K2702

Descargas Populares

Data Sheet, Technical Information	9AKK107046A0424
Instructions and Manuals	Manual sheet inside the box

Clasificaciones

Object Classification	Q

Code	
ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC000003 - Residual current circuit breaker (RCCB)
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)

Categorias

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Interruptores diferenciales

