PRODUCT-DETAILS

# F204 B-25/0,3

## Int.dif.F204B-25/0,3 4p 25 B 300mA



### Información General

| | |
|---|---|
| Extended Product Type | F204 B-25/0,3 |
| Product ID | 2CSF204592R3250 |
| EAN | 8012542347934 |
| Catalog Description | Int.dif.F204B-25/0,3 4p 25 B 300mA |
| Long Description | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is particularly suitable for the protection against smooth d.c. earth fault currents. |

### Technical

| | |
|---|---|
| Standards | IEC/EN 61008 |
| Operating Characteristic | Instantaneous |
| Type of Residual Current | B type |
| Rated Residual Current | 300 mA |
| Rated Current ($I_n$) | 25 A |
| Number of Poles | 4 |
| Position of Neutral Terminals | Right |
| Power Loss | at Rated Operating Conditions per Pole 0.29 W |
| Rated Voltage ($U_r$) | 400 V |
| Rated Frequency (f) | 50...60 Hz |

## Ambiente

| | |
|---|---|
| Ambient Air Temperature | Funcionamiento -25...55 °C |
| RoHS Status | Following EU Directive 2011/65/EU |

## Technical UL/CSA

| | |
|---|---|
| Short-Circuit Current Rating (SCCR) | 0.3 mA |

## Dimensiones

| | |
|---|---|
| Product Net Width | 0.072 m |
| Product Net Height | 0.085 m |
| Product Net Depth / Length | 0.069 m |
| Product Net Weight | 0.380 kg |

## Información de Embalaje

| | |
|---|---|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 0.073 m |
| Package Level 1 Height | 0.078 m |
| Package Level 1 Depth / Length | 0.09 m |
| Package Level 1 Gross Weight | 0.525 kg |
| Package Level 1 EAN | 8012542347934 |

## Clasificación

| | |
|---|---|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85363030 |
| Replacement Product ID (NEW) | 2CSF204568R3250 |

## Certificados y Declaraciones (Número de Documento)

| | |
|---|---|
| CCC Certificate | 9AKK107492A0002 |
| Declaration of Conformity - CE | 9AKK106713A5602 |
| Environmental Information | Refer to RoHS |
| Instructions and Manuals | 9AKK106354A0846 |
| RoHS Information | 2CSC423001K2702 |

## Descargas Populares

| | |
|---|---|
| Data Sheet, Technical Information | 9AKK107046A0424 |
| Instructions and Manuals | 9AKK106354A0846 |

## Clasificaciones

| Object Classification Code | Q |
|---|---|
| ETIM 4 | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5 | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 6 | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 7 | EC000003 - Residual current circuit breaker (RCCB) |

## Categorias

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Interruptores diferenciales

