

PRODUCT-DETAILS

# RD2-48

## Rele diferencial RD2-48



### Información General

Extended Product Type	RD2-48
Product ID	2CSM242120R1201
EAN	8012542537809
Catalog Description	Rele diferencial RD2-48
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. Operating voltage: 48...150V a.c./d.c.

### Technical

Standards	IEC EN 62020
Mounting Type	DIN-rail
Rated Operational Voltage	48 ... 150 V AC/DC
Dimensions	2 modules
Power Loss	3.4 W

### Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

---

## Dimensiones

Product Net Width	35 mm
Product Net Height	0.085 m
Product Net Depth / Length	65 mm
Product Net Weight	0.105 kg

---

## Información de Embalaje

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.041 m
Package Level 1 Height	0.08 m
Package Level 1 Depth / Length	0.103 m
Package Level 1 Gross Weight	0.15 kg
Package Level 1 EAN	8012542537809

---

## Clasificación

Minimum Order Quantity	1 piece
Customs Tariff Number	85364190

---

## Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	9AKK106713A5627
Instructions and Manuals	0400 - 9924
RoHS Information	9AKK106713A5627

---

## Descargas Populares

Data Sheet, Technical Information	9AKK107046A0424
Instructions and Manuals	0400 - 9924

---

## Clasificaciones

Object Classification Code	Q
ETIM 4	EC001445 - Residual current monitoring relay
ETIM 5	EC001445 - Residual current monitoring relay
ETIM 6	EC001445 - Residual current monitoring relay
ETIM 7	EC001445 - Residual current monitoring relay

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Relés diferenciales

