
PRODUCT-DETAILS

SAH/S16.6.7.1

SAH/S16.6.7.1 Switch/Shutter Actuator, 16-fold, 6 A, MDRC



Información General

Extended Product Type	SAH/S16.6.7.1
Product ID	2CDG110245R0011
EAN	4016779066792
Catalog Description	SAH/S16.6.7.1 Switch/Shutter Actuator, 16-fold, 6 A, MDRC
Long Description	The compact 6 A combi switch actuator has 16 independent switching relays. The outputs can be used individually via ABB i-bus® KNX for switching electrical loads or in pairs for controlling 230 V AC roller shutter or blind drives (no electromechanically interlocking). The device features a manual operation, which can also be disabled. Via the manual operation the outputs can be operated manually and the switching or driving status is displayed. The device is powered by KNX and requires no additional power supply.

Clasificación

EAN	4016779066792
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405 860 165
E-Number (Finland)	2814680
E-Number (Sweden)	1739883

Dimensiones

Product Net Depth / Length	63.5 mm

Product Net Height	90 mm
Product Net Width	140 mm
Product Net Weight	0.502 kg

Información de Embalaje

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779066792
Package Level 1 Depth / Length	182 mm
Package Level 1 Height	96 mm
Package Level 1 Width	125 mm
Package Level 1 Gross Weight	0.596 kg

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CDC505176D0211
Instructions and Manuals	2CDG941210P0002
Declaration of Conformity - CE	2CDK505207D2701
RoHS Information	2CDK505207D2701

Ambiente

RoHS Status	Following EU Directive 2011/65/EU

Clasificaciones

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - Switch actuator for bus system
ETIM 7	EC001097 - Switch actuator for bus system
eClass	7.0 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Categorias

Productos y sistemas de baja tensión → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 6 A

