
PRODUCT-DETAILS

SAH/S24.10.7.1

SAH/S24.10.7.1 Switch/Shutter Actuator, 24-fold, 10 A, MDRC



Información General

Extended Product Type	SAH/S24.10.7.1
Product ID	2CDG110249R0011
EAN	4016779066839
Catalog Description	SAH/S24.10.7.1 Switch/Shutter Actuator, 24-fold, 10 A, MDRC
Long Description	The compact 10 A combi switch actuator has 24 independent switching relays. The outputs can be used individually via ABB i-bus® KNX for switching electrical loads or in pairs for controlling 230 V AC roller shutter or blind drives (no electromechanically interlocking). The device features a manual operation, which can also be disabled. Via the manual operation the outputs can be operated manually and the switching or driving status is displayed. The device is powered by KNX and requires no additional power supply.

Clasificación

EAN	4016779066839
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405 863 245
E-Number (Finland)	2814684
E-Number (Sweden)	1739887

Dimensiones

Product Net Depth / Length	63.5 mm

Product Net Height	90 mm
Product Net Width	210 mm
Product Net Weight	0.72 kg

Información de Embalaje

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779066839
Package Level 1 Depth / Length	256 mm
Package Level 1 Height	106 mm
Package Level 1 Width	125 mm
Package Level 1 Gross Weight	0.83 kg

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CDC505180D0211
Instructions and Manuals	2CDG941211P0002
Declaration of Conformity - CE	2CDK505211D2701
RoHS Information	2CDK505211D2701

Ambiente

RoHS Status	Following EU Directive 2011/65/EU

Clasificaciones

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - Switch actuator for bus system
ETIM 7	EC001097 - Switch actuator for bus system
eClass	7.0 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Categorias

Productos y sistemas de baja tensión → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 10 A

