PRODUCT-DETAILS

DG/S1.64.5.1

DG/S1.64.5.1 DALI Gateway, Premium, 1-fold, MDRC



Información General

Extended Product Type	DG/S1.64.5.1
Product ID	2CDG110273R0011
EAN	4016779067201
Catalog Description	DG/S1.64.5.1 DALI Gateway, Premium, 1-fold, MDRC
Long Description	For controlling DALI devices via the ABB i-bus® KNX. One DALI output for up to 64 DALI slaves. DALI power supply is integrated. Control and status feedback is carried out via KNX per DALI slave (64), with 16 lighting groups, together in broadcast or per scenes (16). DALI devices type DT1 (Self-contained emergency converter acc. EN 62386-202) and type DT8 (colour temperature Tc / tunable white acc. EN 62386-209) will be supported. Extensive fault and error messages are available. By means of KNX and DT1 converter different emergency tests (e.g. function and duration test) can be triggered, test results are transferred back to KNX. With DT8 devices Dim2Warm, HCL, set and dim colour temperature are possible. Slave-, staircase-, force-, block- and scene-function are integrated. Feedback is sent. DALI telegram rate can change. For diagnostic use and individual change of the DALI address or group assignment a separate Software-Tool is available.

Clasificación

EAN	4016779067201
Customs Tariff Number	85176200
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405670325
E-Number (Finland)	2814675
E-Number (Norway)	4544205
E-Number (Sweden)	1739866

Dimensiones

Product Net Depth / Length	63.5 mm
Product Net Height	90 mm
Product Net Width	72 mm
Product Net Weight	0.133 kg

Información de Embalaje

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779067201
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.18 kg

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CDC507175D0211
Instructions and Manuals	2CDG941220P0001
Declaration of Conformity - CE	2CDK507178D2701
RoHS Information	2CDK507178D2701

Ambiente

RoHS Status	Following EU Directive 2011/65/EU

Clasificaciones

ETIM 5	EC001099 - System interface/media gateway for bus system
ETIM 6	EC001099 - System interface/media gateway for bus system
ETIM 7	EC001099 - System interface/media gateway for bus system
eClass	7.0 27143136
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	43222605
IDEA Granular Category Code (IGCC)	6809 >> System interface/media gateway for bus system

Categorias

Productos y sistemas de baja tensión → Home and Building Automation → KNX → Lighting Control → DALI Gateways and Light Controllers

