

90.VRF_Y_FE_280


04-06-2019

VRF_Y_FE_280

















VRF_Y_FE_280


Top Clearance (mm) = 100
Bottom Clearance (mm) = 50
Height (mm) = 180
FRONT
Width (mm) = 495
EQ
EQ
TOSHIBHA
TOP
Depth (mm) = 350
Piping side (mm) = 400
Left Side Clearance (mm) = 70
Right Side Clearance (mm) = 70

VRF_Y_FE_280 Service Area



Pipe Connectors



RBM-Y2804FE

Family Types

Type name: RBM-Y2804FE

Search parameters

Parameter	Value	Formula
Materials and Finishes		
Red	Color RGB 255 000 000	=
White	Color RGB 255 255 255	=
Dimensions		
Height (mm)	180.0	=
Width (mm)	495.0	=
Depth (mm)	350.0	=
Outdoor unit - Suction (mm)	22.2	=
Outdoor unit - Discharge (mm)	19.1	=
Outdoor unit - Liquid (mm)	12.1	=
Indoor unit - Gas (mm)	22.2	=
Indoor unit - Liquid (mm)	12.7	=
Visibility		
Service Area (default)	☐	=
Bottom Clearance (mm) (default)	50.0	=
Left Side Clearance (mm) (default)	70.0	=
Piping side (mm)	400.0	=
Right Side Clearance (mm) (default)	70.0	=
Top Clearance (mm) (default)	100.0	=
Other		
Connectable Indoor Unit Capacity	18kW(6.4HP) to 28.0kW(10HP)	=

Identity Data		
Article Description	Flow Selector	=
Article Type	RBM-Y2804FE	=
Base Family Version		=
CB-NL Class		=
Content Supplier URL	www.hcltech.com	=
Copyright	©Toshiba / HCL	= "©Toshiba / HCL"
EMCS	4	= "4"
ETIM Article Class	EC001213	= "EC001213"
Family Version		=
GLN		=
GTIN		=
Internal Art. No.		=
MEPcontent Class	HEATPUMP	= "HEATPUMP"
Manufacturer	Toshiba	= "Toshiba"
Manufacturer Art. No.	RBM-Y2804FE	=
Manufacturer URL	https://www.toshiba-carrier.co.jp/global/	=
Product Line		=
Revit Version	2017	= "2017"
Stabu Code		=
Type Image		=
Keynote		=
Model	RBM-Y2804FE	=
Type Comments		=
URL	https://www.toshiba-carrier.co.jp/global/	=
Description	Flow Selector	=
Assembly Code		=
Cost		=
Watermarked By		=
Wholesaler		=
Wholesaler Art. No.		=



Thank You